

**Listing of Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for converting the bit rate of a compressed bitstream to use an available bandwidth of a channel, the method comprising:

re-quantizing a first portion of the bitstream ~~that includes a B frame including video data using a first re-quantization scheme; and~~

~~re-quantizing a second portion of the bitstream that includes a P frame including video data or an I frame including video data using a second re-quantization scheme that includes full decoding and re-encoding of the second portion is computationally more demanding than the first re-quantization scheme.~~

2. Cancelled.
3. (Previously Presented) The method of claim 1 wherein the first re-quantization scheme includes basic re-quantization.
4. (Currently Amended) The method of claim 1 wherein the ~~compressed bitstream is an MPEG compressed bitstream and the first portion includes a B frame~~ second re-quantization scheme includes motion compensated re-quantization.
5. (Original) The method of claim 1 further including determining the available bandwidth of the channel.
6. (Currently Amended) The method of claim 1 wherein the ~~wherein the compressed bitstream is an MPEG compressed bitstream and the second portion includes a P frame~~ second re-quantization scheme includes full decoding and re-encoding of the second portion.
7. (Currently Amended) The method of claim [[6]] 1 further including changing the resolution of the second portion.
8. (Original) The method of claim 1 wherein the first and second portion each include a frame of the video data.

9-10. Cancelled.

11. (Previously Presented) The method of claim 1 wherein the first portion includes a P frame and the P frame is the last P frame in a group of pictures.

12. (Original) The method of claim 1 wherein the first portion comprises color video data.

13. (Original) The method of claim 1 wherein the second portion comprises brightness video data.

14. (Original) The method of claim 1 wherein the first and second re-quantization schemes are performed in real time.

15. (Original) The method of claim 1 further including monitoring the processing load of a processor in a network device.

16-25. Withdrawn.

26. (Currently Amended) A system for converting the bit rate of a compressed bitstream to use an available bandwidth of a channel, the system comprising:

means for re-quantizing a first portion of the bitstream that includes a B frame including video data using a first re-quantization scheme; and

means for re-quantizing a second portion of the bitstream that includes a P frame including video data or an I frame including video data using a second re-quantization scheme that includes full decoding and re-encoding of the second portion is computationally more demanding than the first re-quantization scheme.

27. (Previously Presented) The system of claim 26 wherein the means for re-quantizing the first portion is included in the means for re-quantizing the second portion.

28. (Original) The system of claim 26 wherein the means for re-quantizing the first portion includes means for performing basic re-quantization.

29. (Original) The system of claim 26 wherein the means for re-quantizing the second portion includes means for performing motion compensated re-quantization.
30. (Currently Amended) A computer readable medium including instructions for converting the bit rate of a compressed bitstream to use an available bandwidth of a channel, the instructions comprising:
- instructions for -quantizing a first portion of the bitstream ~~that includes a B frame~~ including video data using a first re-quantization scheme; and
- instructions for re-quantizing a second portion of the bitstream ~~that includes a P frame~~ ~~including video data or an I frame~~ including video data using a second re-quantization scheme that includes full decoding and re-encoding of the second portion is computationally more demanding than the first re-quantization scheme.
31. (Currently Amended) An apparatus for converting the bit rate of a compressed bitstream, the apparatus comprising:

memory,

a processor coupled to memory, the processor configured to re-quantize a first portion of the bitstream ~~that includes a B frame~~ including video data using a first re-quantization scheme and re-quantize a second portion of the bitstream ~~that includes a P frame~~ ~~including video data or an I frame~~ including video data using a second re-quantization scheme that includes full decoding and re-encoding of the second portion is computationally more demanding than the first re-quantization scheme.